




A-I SCAFFOLD MFG., INC.

590 Commerce Parkway | Hays, KS 67601
 Ph 785.621.5121 | Fax 785.621.5122
 www.a1scaffoldingmfg.com

SW SERIES



FRAMES



Specifications


Part Number	Description	Weight (lbs)
Ladder Frames		
SW-23L	2' x 3' Ladder	16.0
SW-24L	2' x 4' Ladder	20.0
SW-25L	2' x 5' Ladder	25.0
SW-26L	2' x 6' Ladder	31.0
SW-264L	2' x 6'4" Ladder	33.0
SW-33L	3' x 3' Ladder	19.0
SW-34L	3' x 4' Ladder	25.0
SW-35L	3' x 5' Ladder	31.0
SW-36L	3' x 6' Ladder	37.0
SW-364L	3' x 6'4" Ladder	39.0
SW-4226L	42" x 2'6" Ladder	20.0
SW-4239L	42" x 3'9" Ladder	29.0
SW-425L	42" x 5' Ladder	39.0
SW-426L	42" x 6' Ladder	46.0
SW-4264L	42" x 6'4" Ladder	48.0
SW-42410LB	42" x 4' 10" Ladder Base	45.0

Part Number	Description	Weight (lbs)
Single Ladder Frames		
SW-43S	4' x 3' Single Ladder	23.0
SW-44S	4' x 4' Single Ladder	29.0
SW-45S	4' x 5' Single Ladder	35.0
SW-464S	4' x 6'4" Single Ladder	40.0
SW-52S	5' x 2' Single Ladder	25.0
SW-53S	5' x 3' Single Ladder	27.0
SW-54S	5' x 4' Single Ladder	34.0
SW-55S	5' x 5' Single Ladder	37.0
SW-564S	5' x 6'4" Single Ladder	43.0
Double Ladder Frames		
SW-44D	4' x 4' Double Ladder	31.0
SW-45D	4' x 5' Double Ladder	37.0
SW-464D	4' x 6'4" Double Ladder	44.0
SW-54D	5' x 4' Double Ladder	36.0
SW-55D	5' x 5' Double Ladder	39.0
SW-564D	5' x 6'4" Double Ladder	47.0


1.69" Dia. Tube
 Holes at 45°
 Coupling Pins Sold Separately

D Locks - 1st lock 6" from top of Leg (Standard)
 For QLH Frames (1st lock at 8.5" from top of Leg)
 For QLH Frames suffix item # with (8)


Frames




SW-464W




SW-564W




SW-564WL




SW-53RT




SW-54RT




SW-55RT



SW-564RT



SW-736RTB








SW-676C

Specifications

Part Number	Description	Weight (lbs)
Walk Thru Frames		
SW-35W	3' x 5' Walk Thru	31.0
SW-364W	3' x 6'4" Walk Thru	39.0
SW-4264W	42" x 6'4" Walk Thru	43.0
SW-464W	4' x 6'4" Walk Thru	44.0
SW-564W	5' x 6'4" Walk Thru	45.0
Walk Thru Ladder		
SW-53WL	5' x 3' Walk Thru Ladder	29.0
SW-54WL	5' x 4' Walk Thru Ladder	36.0
SW-55WL	5' x 5' Walk Thru Ladder	43.0
SW-564WL	5' x 6'4" Walk Thru Ladder	53.0
Rolling Tower Frames		
SW-53RT	5' x 3' Rolling Tower	31.0
SW-54RT	5' x 4' Rolling Tower	36.5
SW-55RT	5' x 5' Rolling Tower	44.5
SW-564RT	5' x 6'4" Rolling Tower	52.0
SW-736RTB	7' x 3'6" Rolling Base	48.0
Canopy Frame		
SW-676C	6' x 7'6" Canopy Frame	60.0

1.69" Dia. Tube
 Holes at 45°
 Coupling Pins Sold Separately
 D Locks - 1st lock 6" from top of Leg (Standard)
 For QLH Frames (1st lock at 8.5" from top of Leg)
 For QLH Frames suffix item # with (8)

Accessories




Part Number	Description	Weight (lbs)
Side & End Brackets		
SW-SB20	20" Side Bracket	7.0
SW-SB24	24" Side Bracket	10.0
SW-SB30	30" Side Bracket	20.0
SW-EB20	20" End Bracket	8.0
SW-EB24	24" End Bracket	10.5
SW-EB30	30" End Bracket	20.5

Pins		
CP7	1 7/16" w/ 1" Collar	1.0
SW-SP	Saddle Pin	2.5
SW-SPL	Saddle Pin w/ Long Leg	3.0


Guard Rails		
SW-GRG	5' Guard Rail Gate	40.0
SW-GRPF	Guard Rail Post (Female)	8.0
SW-GRPM	Guard Rail Post (Male)	6.0

Ladders		
SW-AL3	3' Ladder	7.5
SW-AL6	6' Ladder	17.5
SW-ALB	Ladder Bracket	5.5


Frame Locks




Junior Frames (Light Duty)



SWJ-426S



SWJ-44S



SWJ-464S

Part Number	Description	Weight (lbs)
-------------	-------------	--------------

SWJ-426S	4' x 2'6" Single Ladder	13.0
SWJ-44S	4' x 4' Single Ladder	20.0
SWJ-46S	4' x 6' Single Ladder	25.0
SWJ-464S	4' x 6'4" Single Ladder	30.0
SWJ-464W	4' x 6'4" Walk Thru	39.0

1.1/4" Dia. Tube

Holes at 45°


Coupling Pins Included

Leg Capacity = 500 lbs., not recommended over 25'

D Locks - 1st lock 6" from top of Leg (Standard)


For QLH Frames (1st lock at 8.5" from top of Leg)

For QLH Frames suffix item # with (8)



SWJ-464W


Junior Accessories




BPJ




CPJ



SJB



SJS



SWJ-GRP

Part Number	Description	Weight (lbs)
-------------	-------------	--------------

BPJ	5" x 5" Baseplate	1.0
CPJ	1" Dia Coupling Pin	.50
SJB	1" Dia Screwjack w/ 5" x 5" Baseplate	5.0
SJS	1" Dia Screwjack w/ Socket	5.0
SWJ-GRP	Guard Rail Post	5.0